# HP Z25xs G3 QHD USB-C DreamColor

Extraordinary color accuracy and picture-perfect design.

Remove barriers between designer and design with the HP DreamColor Z25xs G3 Monitor. Create jaw-dropping visuals with billions of colors and hyper-realistic contrast in QHD HDR. Work flawlessly in your chosen medium with purpose-built, factorycalibrated color presets for Mac<sup>®</sup> and PC.



\*Product image may differ from actual product

# The right colors, right out of the box.

 Create with over a billion exceptionally vibrant colors in 99% sRBG and 95% DCI-P3 coverage<sup>1</sup> - all in vivid HDR and QHD resolution. This PANTONE<sup>®</sup> Validated monitor has user presets that allow creators to optimize their own color space. Choose your workflow with calibrated color presets for web design (sRGB D65), print design (sRGB D50), photography (DCI-P3 D65), HD video (BT.709), or customize one that's for exactly right for you.

## Beautifully designed for all creators.

• Remove barriers between design and designer with the thoughtfully crafted, frameless experience of this 25-inch diagonal screen monitor. It features a single USB-C<sup>®</sup> port that connects both video and data and powers either your Mac<sup>®</sup> or PC. And let's you work comfortably with 4-way adjustable ergonomics.

## Easy adjustments for a smooth workflow.

• Enjoy an uninterrupted workflow and quickly see every detail of what you're creating by adjusting your monitor's brightness with the touch of a button. Plus a simple joypad lets you switch easily between your color presets.

## Meticulous design responsibly made.

 Make a conscious choice with this monitor that's been built with the environment in mind. Its plastics consist of over 80% recycled materials<sup>2</sup> plus it has 100% sustainably sourced and recyclable packaging<sup>3</sup>. It is ENERGY STAR<sup>®</sup> certified and EPEAT<sup>®</sup> 2020 registered<sup>4</sup>.

## Featuring

- Need to customize your colors presets? The HP Display Center let's you create 3 additional presets.
- Even if just a third of a pixel fails or is stuck in one position, HP will replace the entire display.
- Easily attach the Z Display G3 Conferencing Speaker Bar for stereo quality audio and dual microphones.
- 3-year limited warranty includes technical support, diagnostic services, and hardware replacement.

# HP Z25xs G3 QHD USB-C DreamColor Display Specifications Table







*Product image may differ from actual product		
Display type	IPS <sup>1</sup>	
Brightness	266 nits <sup>1,5</sup>	
Contrast ratio	1000:1 <sup>1</sup>	
Response Ratio	14 ms gray to gray <sup>1</sup>	
Product colour	Turbo silver head, turbo silver stand	
Aspect ratio	16:9 <sup>1</sup>	
Native resolution	QHD (2560 x 1440) <sup>1</sup>	
Resolutions supported	640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 1920 x 1200; 2560 x 1440	
Display features	Pantone® Validated; Factory Calibrated; Brightness buttons; Height Adjust/Tilt/Swivel/Pivot; VESA DisplayHDR 400 certified	
User controls	Exit; Information; Management; Menu; Power; Input control; Brightness+; Image; Color	
Input signal	1 USB Type-C™ (Alternative mode DisplayPort™ 1.4, Power Delivery up to 100W); 1 HDMI 2.0 (with HDCP support); 1 DisplayPort™ 1.4-in (with HDCP support); 1 DisplayPort™ 1.4-out (with HDCP support); 3 USB-A 3.2 Gen 1; 1 USB Type-C™ (Power Delivery up to 15W)	
Display size (diagonal)	25"	
Display size (diagonal, metric)	63.5 cm (25")	
Camera	No integrated camera	
Environmental	Operating temperature: 5 to 35°C; Operating humidity: 20 to 80% non-condensing;	
Power	100 - 240 VAC 50/60 Hz	
Power consumption	205 W (maximum), 35 W (typical), 0.5 W (standby)	
Dimensions	22.4 x 1.8 x 13.1 in 56.9 x 4.6 x 33.3 cm (Without stand.)	
Weight	13.7 lb 6.2 kg (With stand.)	
Physical security features	Security lock-ready <sup>2</sup>	
Energy efficiency compliance	ENERGY STAR® certified; EPEAT® 2020 registered	
Certification and compliance	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; ENERGY STAR®; ErP; FCC; GS Mark; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TCO Certified; TCO Certified Edge; TUV-S; VCCI; Vietnam MEPS; WEEE; ISC; Low blue light; Ukraine Energy label; WW application; UAE	
Sustainable impact specifications	Arsenic-free display glass; Low halogen; Mercury-free display backlights; TCO Certified; TCO Certified Edge	
What's in the box	Monitor; DisplayPort™ cable; HDMI cable; Documentation; VESA Mount adapter; 1 USB Type-C® to Type-C cable; 1 USB Type-C® to Type-A cable; AC power cord; Cable holder	
Pixels per inch (ppi)	174 ррі	
Panel bit depth	10 bit	
Vertical viewing angle	178°	
Horizontal viewing angle	178°	
Bezel	4-sided micro-edge	
Swivel	±45°	
Tilt	-5 to +20°	
Pivot	±90	
Height adjustment range	150 mm	
VESA mounting	100 mm x 100 mm (bracket included)	
Hardness	ЗН	
Screen treatment	Anti-glare	
Touch-enabled	Not touch-enabled	
Integrated privacy filter	No	
Flicker-free	Yes	
Low blue light modes	Yes (TÜV certified)	
Display scan frequency (horizontal)	30-95 KHz	
Disalar for the literation	50-60 Hz	
Display scan frequency (vertical)	50-00 12	

# HP Z25xs G3 QHD USB-C DreamColor Display

# Accessories and services (not included)

HP B550 PC Mounting Bracket	Customize an altogether better solution with the HP Z PC Mounting Bracket for Z Displays, which lets you attach a Z Mini Workstation directly behind select Z Displays <sup>1</sup> <b>Product number: 16U00AA</b>
HP Business PC Security Lock v3 Kit	Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the affordable HP Business PC Security Lock v3 Kit. Product number: 3XJ17AA
HP Single Monitor Arm	The HP Single Monitor Arm is the perfect desk accessory for your work life. Sleek and streamlined, the HP Single Monitor Arm is designed to complement the way you work. <b>Product number: BT861AA</b>
HP 5-year Next Business Day Onsite Large Monitor Hardware Support HP Care Pack	Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit www.hp.com/go/cpc. Product number: U7937E

# HP Z25xs G3 QHD USB-C DreamColor Display

#### Messaging Footnotes

 <sup>1</sup> All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
<sup>2</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard.
<sup>3</sup> 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.

<sup>41</sup> Desclit Usan Sheeting.
<sup>4</sup> Based on US EPEAT<sup>®</sup> registration according to IEEE 1680.1-2020 EPEAT<sup>®</sup>. Status varies by country. Visit www.epeat.net for more information.
<sup>5</sup> The HP Pixel Policy allows no bright sub-pixel defects for this display. For complete details, see http://support.hp.com/us-en/document/c00288895.
<sup>6</sup> Z Display Conferencing Speaker Bar Sold Separately.

#### **Technical Specifications Footnotes**

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers: actual performance may vary either higher or lower

<sup>1</sup> All specifications represent the typical specifications provided by HPs component manufacturers; actual performance may vary either higher or lower.
<sup>2</sup> Lock sold separately.
<sup>3</sup> Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit www.epeat.net for more information.
<sup>4</sup> Included cables may vary by country.
<sup>5</sup> BH-applied uniformity compensation to each Z25xs G3 display, which brings the typical uniform peak luminance down to 266 cd/m² from a 400 cd/m² native peak brightness. Display supports luminance calibration up to 266 cd/m², reserving any luminance headroom for panel aging compensation.

#### Sign up for updates hp.com/go/getupdated

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

